

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	183	(calibrat\$4 validat\$4) with (vacuum and test\$4 and chamber)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/07 10:00
L2	88	L1 and (moisture liquid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/07 10:00
L3	1	("3,186,214").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/07 09:24
L4	15	("3186214").URPN.	USPAT	OR	ON	2005/03/07 09:25
L5	5	("3898882" "4739647" "4932788" "5190726" "5343760").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/07 09:34
L6	5	("5485754").URPN.	USPAT	OR	ON	2005/03/07 09:34
L7	82	L1 and (fluid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/07 10:01
L8	316	(lehmann-ma\$).in", and (calibrat\$4 validat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/07 10:43
L9	316	(lehmann-ma\$).in", and (calibrat\$4 validat\$4) and leak\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/07 10:46
L10	83	I9 and (moisture liquid fluid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/07 10:44
L11	316	(lehmann-ma\$).in", and ((calibrat\$4 validat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/07 10:47
L12	83	I11 and (moisture liquid fluid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/07 10:46
L13	29	(lehmann-ma\$).in. and ((calibrat\$4 validat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/07 10:47
S1	4	(leak\$4 near test\$4) and (remov\$4 near (moisute or humidity))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/04 14:05

S2	181	(leak\$4 near test\$4) and (remov\$4 near (moisture or humidity))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/04 14:14
S3	445	(leak\$4 near test\$4) and (evaporat\$4 with pressure)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/04 14:17
S4	14	("0857388" "2784373" "3381523" "3973249" "4320653" "4409817" "5199296" "5239859" "5482683" "5513516" "5575265" "5907093" "6082184" "6202477").PN.	USPAT	OR	ON	2004/08/04 14:16
S5	359	(leak\$4 near test\$4) and (polyamide or polyoxymethylene)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/04 14:18
S6	8	((leak\$4 near test\$4) and (polyamide or polyoxymethylene)) and ((polyamide or polyoxymethylene) with test\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/07 07:08
S7	255759	polyamide or polyoxymethylene	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/04 14:21
S8	41510	(polyamide or polyoxymethylene) with (can or container)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/04 14:21
S9	30	(polyamide or polyoxymethylene) with (aerosol with (can or container))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/04 14:23
S10	16	(polyamide or polyoxymethylene) with (aerosol with container)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/04 14:23
S11	3811	(73/40,49.2,49.3,45.5,49.5,49.6,49.7,49.8).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/08/05 10:26
S12	19	((73/40,49.2,49.3,45.5,49.5,49.6,49.7,49.8).CCLS.) and evaporate) and (evaporate with pressure)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/05 10:27
S13	62	((73/40,49.2,49.3,45.5,49.5,49.6,49.7,49.8).CCLS.) and evaporate	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/05 10:27
S14	39	(polyamide polyoxymethylene POM) with (test\$4 near (body standard))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/07 07:13
S15	0	(polyamide polyoxymethylene POM) with (leak\$4 near (body standard))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/07 07:13
S16	262	(polyamide polyoxymethylene POM) with (leak\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/07 09:07

S17	4627	((73/1.01,1.03,1.04,1.57,1.58) or (73/40,49.2,49.3,45.5,49.5) or (73/49.6,49.7,49.8)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/07 09:09
S18	214	S17 and ((cup body standard) with (liquid moisture))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/07 09:13
S19	183	(calibrat\$4 validat\$4) with (vacuum and test\$4 and chamber)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/07 09:15